

CHEMOSPHERE

SUBJECT AND AUTHOR INDEX

Volume 23, 1991



Pergamon Press: Oxford New York Seoul Tokyo

EXECUTIVE EDITOR

Dr. T. Stephen, 8 Lewis Close, Risinghurst, Headington, Oxford OX3 8JD, U.K.

POLICY BOARD

Chemistry and Biochemistry

— **Professor O. Hutzinger (Chairman)** (Alfreda Hutzinger, Editorial Assistant), University of Bayreuth, Chair of Ecological Chemistry and Geochemistry, Postfach 10 12 51, D-8580 Bayreuth, G.F.R.

Ecotoxicology

— **Professor Dr. J. P. Giesy**, Department of Fisheries and Wildlife, Michigan State University, East Lansing, MI 48824-1222, U.S.A.

— **Professor W. Klein**, Fraunhofer-Institut für Umweltchemie und Ökotoxikologie, Graftschaff/Hochsauerland, D-5948 Schmallenberg, G.F.R.

— **Dr. M. Yasuno**, National Institute for Environmental Studies, Japan Environment Agency, 16-2 Onogawa, Tsukuba, Ibaraki 305, Japan

Toxicology, Pharmacokinetics and Epidemiology

— **Professor U. G. Ahlborg**, Karolinska Institutet, Institute of Environmental Medicine, Unit of Toxicology, Box 60208, S-10401 Stockholm, Sweden

— **Professor S. Safe**, Veterinary Physiology and Pharmacology, Texas A and M University, College Station, TX 77843, U.S.A.

— **Professor E. Takabatake**, Setsunan University, Faculty of Pharmaceutical Sciences, 45-1 Nagaotoge-cho, Hirakata, Osaka 573-01, Japan

Atmospheric Chemistry and Global Change

— **Dr. M. A. K. Khalil**, Department of Environmental Science and Engineering, Oregon Graduate Institute of Science and Technology, 19600 N.W. Von Neumann Drive, Beaverton, OR 97006-1999, U.S.A.

PARTICIPATING BOARD

Chemistry and Biochemistry

Prof. Dr. K. Ballschmiter, Universität Ulm (MNH), Abteilung Analytische Chemie, Oberer Eselsberg 0 26, D-7900 Ulm, G.F.R.

Prof. T. F. Bidleman, Department of Chemistry and Marine Science Program, University of South Carolina, Columbia, SC 29208, U.S.A.

Dr. R. E. Clement, Ontario Ministry of the Environment, P.O. Box 213, Resources Road, Rexdale, Ontario, Canada M9W 2L1

Dr. D. W. Connell, Griffith University, School of Australian Environmental Studies, Nathan, Brisbane, Queensland 4111, Australia

Dr. P. E. Des Rosiers, Research and Development Office, U.S. Environmental Protection Agency, 401 M-Street SW, Washington, DC 20460, U.S.A.

Dr. H. S. Fuhr, Bayer AG-Dormagen, Wersverwaltung GEB G-17, D-4047 Dormagen, G.F.R.

Dr. W. Giger, Swiss Federal Institute of Technology, Institute for Water Research and Water Pollution Control (EAWAG), CH-8600 Dübendorf, Switzerland

Prof. Dr. H. P. Hagenmaier, Department of Organic Chemistry, University of Tübingen, Auf der Morgenstelle 18, D-7400 Tübingen 1, G.F.R.

Dr. F. Hileman, Monsanto BB4M, 700 Chesterfield Village Parkway, St Louis, MO 63198, U.S.A.

Prof. R. A. Hites, School of Public and Environmental Affairs, 400E 7th Street, Indiana University, Bloomington, IN 47405, U.S.A.

Prof. Dr. P. M. Huang, Saskatchewan Institute of Pedology, University of Saskatchewan, Saskatoon, Canada S7N 0W0

Mr. D. W. Kuehl, US Environmental Protection Agency, Duluth, MN 55804, U.S.A.

Dr. R. C. Lao, Technology Development and Technical Services Branch, Environment Canada, River Road Environmental Technology Centre, Ottawa, Ontario, Canada K1A 0H3

Prof. D. Mackay, Department of Chemical Engineering, University of Toronto, Canada M5S 1A4

Dr. T. Mill, Stanford Research International, 333 Ravenswood Avenue, Menlo Park, CA 94025, U.S.A.

Prof. A. A. Moghissi, PO Box 7166, Alexandria, VA 22307, U.S.A.

Prof. Dr. H. Parlar, Gesamthochschule Kassel-Universität, Fachbereich 19 Biologie/Chemie, Heinrich-Plett-Strasse 40, D-3500 Kassel, G.F.R.

Prof. C. Rappe, University of Umeå, Institute of Environmental Chemistry, S-901 87 Umeå, Sweden

Dr. A. Sabljic, Institute Ruder Boškoyic, Department of Physical Chemistry, P.O.B. 1016, 41001 Zagreb, Croatia, Yugoslavia

Prof. Dr. H.-R. Schulten, Fachhochschule Fresenius, Department of Trace Analysis, Dambachtal 20, D-6200 Wiesbaden, G.F.R.

Dr. G. Sundström, Dow Sverige AB, P.O. Box 7038, S-103 86 Stockholm, Sweden

Prof. Dr. P. R. Wallnöfer, Bayerische Landesanstalt für Ernährung, Menzinger Strasse 54, D-8000 München, G.F.R.
Dr. V. Zitko, Program Head, Toxicology and Organic Contaminants Section, Marine Chemistry Division, Department of Fisheries and Oceans, Biological Station, St. Andrews, New Brunswick, Canada E0G 2X0

Ecotoxicology

Dr. S. M. Bartell, Environmental Sciences Division, Oak Ridge National Laboratory, Oak Ridge, TN 37830, U.S.A.

Dr. G. C. Butler, 4694 West 13th Avenue, Vancouver, British Columbia, Canada V6R 2V7

Prof. Dr. D. Calamari, Istituto di Entomologia, Facoltà di Agraria, Università degli Studi di Milano, Via Celoria 2, 1-20133 Milano, Italy

Dr. R. T. Digiulio, Duke University, School of Forestry and Environmental Studies, Durham, NC 27706, U.S.A.

Prof. Dr. W. Ernst, Alfred-Wegener-Institut für Polar- und Meeresforschung, Postfach 120161, Columbusstrasse, D-2850 Bremerhaven, G.F.R.

Prof. M. Goto, Institute of Ecotoxicology, Gakushuin University, Faculty of Science, 151 Merjiro, Toshima-Ku, Tokyo 171, Japan

Dr. P. C. Kearney, Natural Resources Institute, USDA, ARS, Office of Deputy Area Director, Building 001, Room 233, Barc-West, Beltsville, MD 20705, U.S.A.

Dr. S. J. Klaine, Memphis State University, Department of Biology, Memphis, TN 38152, U.S.A.

Dr. P. F. Landrum, Great Lakes Environmental Research Laboratory, NOAA/USDC, 2205 Commonwealth Boulevard, Ann Arbor, MI 48105-1593, U.S.A.

Dr. R. Nagel, Johanne Gutenberg-Universität Mainz, Fachbereich Biologie, Institut für Zoologie, Postfach 3980, Saarstrasse 21, D-6500 Mainz, G.F.R.

Prof. F. Schmidt-Bleek, OECD 2, Rue André-Pascal, F-75775 Paris Cedex 16, France

Dr. A. Spacie, Purdue University, Department of Forestry and Natural Resources, Forestry Building, West Lafayette, IN 47907, U.S.A.

Prof. R. Truhaut, Université de Paris, 4 Avenue Del Observatoire, Centre Faculté de Pharmacie, F-75006 Paris 6, France

Toxicology, Pharmacokinetics and Epidemiology

Dr. R. Kociba, Dow Chemical Company, 1803 Building, Midland, MI 48674, U.S.A.

Prof. Dr. Y. Masuda, Daiichi College of Pharmaceutical Sciences, 22-1 Tamagawa-Cho, Minami-ku, Fukuoka 815, Japan

Dr. W. Mücke, Ludwig-Maximilians Universität, Bavarian State Ministry for State Development and Environmental Affairs, Seefeldstrasse 11, D-8018 Grafting, G.F.R.

Dr. H. Nakazawa, Laboratory of Medicinal Chemistry, Department of Pharmaceutical Sciences, Institute of Public Health, 6-1, Shirokanedai 4 Chome, Minato-ku, Tokyo, 108 Japan

Prof. Dr. Ch. Schlatter, Institute of Toxicology, Federal Institute of Technology, University of Zurich, Schorenstrasse 16, CH-8603 Schwerzenbach, Switzerland

Prof. Dr. R. R. Suskind, Department of Environmental Health, Kettering Laboratory, University of Cincinnati, 3223 Eden Avenue, Cincinnati, OH 45267, U.S.A.

Atmospheric Chemistry and Global Change

Dr. P. Brimblecombe, School of Environmental Sciences, University of East Anglia, Norwich NR4 7TJ, U.K.

Prof. C. I. Davidson, Department of Civil Engineering, Carnegie Mellon University, Schenley Park, Pittsburgh, PA 15213, U.S.A.

Dr. J. W. Elkins, United States Department of Commerce, NOAA-ERL, 325 Broadway, Mail Stop R/E/AR4, Boulder, CO 80303-3328, U.S.A.

Dr. J. Fishman, NASA Langley Research Center, Mail Stop 401A, Hampton, VA 23665-5225, U.S.A.

Dr. V. W. J. H. Kirchoff, Director, Space and Atmospheric Science, Instituto Nacional de Pesquisas Espaciais (INPE), Ave. dos Astronautas 1758, Caixa Postal 515-12201, São José dos Campos, S. P., Brazil

Dr. D. C. Parashar, Chemistry Division, National Physical Laboratory, New Delhi, 110012, India

Dr. S. A. Penkett, School of Environmental Sciences, University of East Anglia, Norwich NR4 7TJ, U.K.

Prof. Dr. R. A. Rasmussen, Department of Environmental Science and Engineering, Oregon Graduate Institute, 19600 N.W. Von Neumann Drive, Beaverton, OR 97006, U.S.A.

Prof. Dr. W. Seiler, Fraunhofer Institute for Atmospheric Environmental Research, Kreuzteckbahnstrasse 19, D-8100 Garmisch-Partenkirchen, G.F.R.

Prof. J. W. Winchester, Department of Oceanography B-169, Florida State University, Tallahassee, FL 32306, U.S.A.

SUBJECT INDEX VOL. 23, 1991

Corrigenda

Kawamoto K. and Urano K. : 21,
1149(1990): Table 3 corrected
and reproduced, 813

Acids

phenoxy acetic and propionic, gas
chromatographic detn as
2,2,2-trifluoroethyl esters, 845

Acrolein

in vitro covalent modification of
serum albumin, 939

Adipose tissue

congener specific analysis for
PCBs, 651
human tissue, ¹H NMR
identification of PCBs and
partially oxidised PCB
congeners, 383

Aerobic conditions

biodegradability, insoluble and
volatile compds assessed by
CO₂ production, 855
biodegradation, application of
dissolved inorganic carbon
measurements, 507, 855
biodegradation and structure of
quaternary alkyl ammonium
salts, relationship, 281

Aerosol

particulate matter over S Atlantic
from about 30–70°S, assessment
terrestrial higher mol wt lipid
compds, 447

Agriculture

watersheds with different land
management, secondary
production of benthic stream
invertebrates, 57

Air

and soil, fugacity model for
chemical uptake by plants, 539
borne halocarbon levels at urban
and mountain forest sites in
Germany and at Atlantic coast,
609

Alcohols

n-octanol/water partition coeffs,
models by molecular topology
of polycyclic aromatic
hydrocarbons and alkyl derivs,
199
n-octanol/water partition coeff,
s-triazine herbicide evaluation,
801

Algae

ecotoxic hazard of phenylureas,
estimation with QSAR
predictive model, 497

Ames test

chlorine reactivity with mutagen
3-chloro-4-(dichloro-methyl)-5
-hydroxy-2(5H)-furanone, 873

Amino acid

analysis, *in vitro* covalent
modification of serum albumin
by acrolein, 939

Ammonium

quaternary alkyl salts, relation
between structure and
biodegradability, 281

Animals

Chinese hamster ovary cells, test
system for detection of nuclear
and cytoplasmic damage, 777
rats, short term toxicity of
methomyl, 375

Analysis

terrestrial higher mol wt lipids,
aerosol particulate matter over S
Atlantic from about 30–70°S,
447
amino acid-, *in vitro* covalent
modification of serum albumin
by acrolein, 939
chlorinated diphenyl ethers in
human adipose tissue, difference
between males and females, 601

congener specific method for PCBs in human milk, 119
 congener specific-, PCBs in serum and adipose tissue, 651
 human adipose tissue, ¹H NMR identification of PCBs and partially oxidised PCB congeners, 383
 municipal refuse incinerator ashes, variation in elemental composition with time of sampling, 391
 PCB 132, 153 and 105 separation of 132, 193
 PCDDs and PCDFs, detn in selected paper products, 737

Antiarctica

S Atlantic from about 30–70°S, aerosol particulate matter, terrestrial higher mol wt lipids, 447

Aquatic organisms

mussels, levels and long-term trends of high molecular chlorinated hydrocarbons, Istrian coastal waters, N. Adriatic, 747
 plankton in Adriatic open waters, distn, concn and origin of aliphatic hydrocarbons, 925

Aquatic systems

Atlantic ocean water flow, hexachlorocyclohexane isomers as markers, 889
 coastal compartments, partitioning of microcontaminants in wastewater from urban disposal site, 313
 ecotoxic hazard of phenylureas, estimation with QSAR predictive model, 497
 Istrian coastal waters, N. Adriatic, levels and long-term trends of high molecular chlorinated hydrocarbons in mussels, 747
 lakes and rivers of Czechoslovakia, PCBs in water and sediments, 269
 Mississippi and tributaries, halogenated compds in catfish, 817
 oceanic and freshwater systems, atmospheric trace organic contaminant fluxes assessed by evaluation of precipitation samplers, 343
 river-transported halogenated biphenyls and terphenyls, distribution in coastal environment, 327
 rivers and estuaries N. E. England, copper complexation, 695
 tropical estuary, malathion sorption by sediments, 167

water quality in man-made lake, Melbourn-me, nitrogen and phosphorus excretion by carp, 671

Artificial

neural network, prediction, biodegradation of organic chemicals, 305

Ash

from municipal refuse incinerator, variation in elemental composition with time of sampling, 391

Assays

goldfish scale cells, *in vitro* cytotoxicity of 45 pesticides, 525
 munition nitroaromatic compds, *in vitro* cytotoxicity, 363

Atmosphere

air and soil, fugacity model for chemical uptake by plants, 539
 CO₂ concentration effect on climate and plant isoprene emissions, 37
 fluxes of trace organic contaminants, assessed by evaluation of precipitation samplers, 343
 PCBs in-, traffic automobiles as source, 785
 radical OH production and destruction and space time variations, 397

Automobiles

in traffic, source of PCBs in atmosphere, 785

Benthic

stream invertebrates, production, agricultural watersheds with different land management, 57

Bioconcentration

factor and aqueous solubility, evaluation and relationship, 231
 organic chemicals in fish, i/o characters, 789

Biodegradation

aerobic-, application of dissolved inorganic carbon measurements, 507
 aerobic-, study, application dissolved inorganic carbon measurements, 855
 aerobic-, and structure of quaternary alkyl ammonium salts, relationship, 281

organic chemicals, prediction by artificial neural network, 305

Biphenyls

3,3',4,4'-tetrachlorobiphenyl and 2,3,7,8-TCDD mixtures, nonadditive interactions with aryl hydrocarbon hydroxylase induction in *Oncorhynchus mykiss*, 467
 halogenated-, and terphenyls, river-transported, distribution in coastal environment, 327
 hexachlorobiphenyls, reaction with selenium, formation of chlorinated dibenzoselenophenes, 569
 PCB-132, isolation and synthesis, 193
 PCBs and partially oxidised PCB congeners, ¹H NMR identification in human adipose tissue, 383
 PCBs in atmosphere, traffic automobiles as source, 785
 PCBs in human milk, analysis by congener specific method, 119
 PCBs in serum and adipose tissue, congener specific analysis, 651
 PCBs in water and sediments, lakes and rivers of Czechoslovakia, 269
 PCBs, detn in waste mineral oil, review, 901
 PCBs, fractionation on carbon cartridge, 841
 PCBs, uptake by plants from air and soil, fugacity model, 539
 planar PCB congeners, isolation by carbon column chromatography, 915

Bioremediation

effect on mutagenicity of oil, Alaska spill, 643

Blood

serum albumin, *in vitro* covalent modification by acrolein, 939
 serum, congener specific analysis for PCBs, 651

Butachlor

degradation by two soil fungi, 99

Calculations

OH concentrations and distribution, different day times, seasons, altitudes, latitudes and climatic conditions, 397
 transport/degradation rate for TCDD in diffusion controlled process, 589

Carbon

cartridge, fractionation of chloro organo compds, 841
 column chromatography, isolation of planar PCB congeners, 915

dissolved inorganic-,
measurements, aerobic
biodegradation study, 855

Carbon dioxide

improved production test,
biodegradability of organic
compds under aerobic
conditions, 507
production, assessing aerobic
biodegradability insoluble and
volatile compds, 855

Catalysts

H₂O₂ treatment of OCDD in
surface soil, 949
identified, PCDD synthesis in
samples of fly ash from MSW
incinerator, 831

Catechol

methylation products, soil and
earthworms sawmill
environment, 263

Chemicals

organic, bioconcentration in fish,
i/o characters, 789

Chlorine and compounds

chlorinated diphenyl ethers in
human adipose tissue, difference
between males and females, 601
chlorinated hydrocarbons, high
molecular, in mussels, levels
and long term trends, coastal;
waters, N. Adriatic coast, 747
chlorine reactivity with mutagen
3-chloro-4-(dichloromethyl)-5-
hydroxy-2(5H)-furanone, 873
chlorobenzenes in sewage sludge,
capillary gas chromatography,
677
chlorobenzenes, levels and sources
in municipal waste compost, 181
chloro organic compds, carbon
cartridge fractionation, 841
chlorophenols, levels and sources
in municipal waste compost, 181
hexachlorocyclohexane isomers as
markers, Atlantic ocean water
flow, 889
pentachlorophenol from soil,
effect of moisture, 881
tetra- and
pentachlorodibenzothiophenes,
formation in waste combustion,
583

Chromatography

analysis for PCBs in human milk,
by congener specific method,
119
capillary gas-, chlorobenzenes
analysis in sewage sludge, 677

carbon column-, isolation of
planar PBB congeners, 915
chlorinated dibenzoselenophenes
by thermal reaction of
hexachlorobiphenyls with
selenium 569
PCB 132, 153 and 105 separation
of 132, 193
PCBs in serum and adipose tissue,
congener specific analysis, 651
pesticides and metabolites
identified in catfish from
Mississippi, 817
phenoxy acetic and propionic
acids, detn as
2,2,2-trifluoroethyl esters, 845
tetra- and
pentachlorodibenzothiophenes,
formation in waste combustion,
583
two chamber method for detn of
pesticide flux in water and soil,
291

Clay

soil surfaces, interaction with
maleic hydrazide, 473

Climate

global patterns, plant isoprene
emissions, effect of atmospheric
CO₂ 37

Clothing

combustion, source of PCDDs and
PCDFs in British environment,
255

Combustion

cerial straw or wood chips in
furnaces, emission and
mutagenic activity of PAH, 723
clothing, source of PCDDs and
PCDFs in British environment,
255
domestic coal, source of PCDDs
and PCDFs in British
environment, 255
waste-, formation of tetra- and
pentachlorodibenzothiophenes,
583

Complexation

copper in rivers and estuaries, N.
E. England, 695

Composts

municipal waste, levels and
sources of PCDDs, PCDFs, CPs
and CBzs, 181

Congeners

partially oxidised PCB-, ¹H NMR
identification in human adipose
tissue, 383

planar PCB-, isolation by carbon
column chromatography, 915
specific analysis for PCBs in
human milk, 119
specific analysis for PCBs in
serum and adipose tissue, 651

Constants

stability, copper complexation in
rivers and estuaries, N. E.
England, 695

Contamination

benthic stream invertebrates,
agricultural watersheds with
different land management, 57
OCDD in surface soil, catalysed
H₂O₂ treatment, 949

Copper

complexation, rivers and estuaries
N.E. England, 695

Cork

products, potential source of
PCDDs and PCDFs, 133

Cytotoxicity

in vitro-, munition nitroaromatic
compds, 363
in vitro-, 45 pesticides, goldfish
scale cells, 525

Degradation

butachlor, by two soil fungi, 99
photo-, 2,3,7,8-TCDD, theoretical
maximum rate of soil
decontamination, kinetics, 589
photo-, nitroalkanes, detn by
Fujiki- and GSF-tests 77

Diffusion

controlled process,
transport/degradation rate for
TCDD
unattached polonium-218,
properties in propylene-nitrogen
gas system, 25

Dioxins

2,3,7,8-TCDD and
3,3',4,4'-tetrachlorobiphenyl,
nonadditive interactions of
mixtures on aryl hydrocarbon
hydroxylase induction in
Oncorhynchus mykiss, 467
2,3,7,8-TCDD, kinetics of
photodegradation, theoretical
maximum rate of soil
decontamination, 589
OCDD in surface soil, catalysed
H₂O₂ treatment, 949
PCDD synthesis over MSW
incinerator fly ash to identify
catalytic species, 831
PCDD, synthesis and destruction
in municipal solid waste
incinerator, 715

- PCDDs in British environment, combustion of domestic coal and waste incineration as source, 255
- PCDDs, detn in selected paper products, 737
- PCDDs, levels and sources from composted municipal waste, 181
- PCDDs, source from cork products, 133
- uptake by plants from air and soil, fugacity model, 539
- Distribution**
- bentazon, lysimeter experiments, 83
- in coastal environment, river-transported halogenated biphenyls and terphenyls, 327
- Earthworms**
- sawmill environment, methylation products of chlorophenols, catechols and hydroquinones, 263
- Effluents**
- wastewater microcontaminants from urban disposal site, partitioning among coastal compartments, 313
- Electrostatic**
- properties, unattached polonium-218, propylene-nitrogen gas system, 25
- Elemental**
- composition varying with time in municipal refuse incinerator ashes, 391
- Emissions**
- PAH and mutagenic activity from furnaces fueled with cereal straw or wood chips, 723
- PCBs from traffic automobiles, 785
- Environment**
- airborne halocarbon levels at urban and mountain forest sites in Germany and at Atlantic coast, 609
- British-, combustion of domestic coal and waste incineration, source of PCDDs and PCDFs, 255
- chemical contaminants in soil, risk assessment, 3
- chlorobenzene pollutants, physico-chemical properties, 141
- coastal-, distribution of river-transported halogenated biphenyls and terphenyls, 327
- distribution of organic chemicals, graphical display of fugacity model, level 1, 633
- fate of herbicides and pesticides, fugacity model for uptake by plants from air and soil, 539
- Enzymes**
- anticholinesterase levels, toxicity of methomyl in rats, 375
- aryl hydrocarbon hydroxylase induction in *Oncorhynchus mykiss*, nonadditive interactions of mixtures of 2,3,7,8-TCDD and 3,3',4,4'-tetrachlorobiphenyl, 467
- Ethers**
- chlorinated diphenyl in human adipose tissue, difference between males and females, 601
- Excretion**
- of nitrogen and phosphorus, carp, 671
- Explosives**
- munition nitroaromatic pollutants, *in vitro* cytotoxicity, 363
- Extraction**
- pentachlorophenol from soil, effects of moisture content, 881
- Factor**
- and aqueous solubility, evaluation and relationship, 231
- Fish**
- bioconcentration of organic chemicals, i/o characters, 789
- carp, nitrogen and phosphorus excretion, 671
- ecotoxic hazard of phenylureas, estimation with QSAR predictive model, 497
- goldfish scale cells, *in vitro* cytotoxicity of 45 pesticides, 525
- Oncorhynchus mykiss*, aryl hydrocarbon hydroxylase induction, nonadditive interactions of mixtures of 2,3,7,8-TCDD and 3,3',4,4'-tetrachlorobiphenyl, 467
- Fluorine compounds**
- 2,2,2-trifluoroethyl esters, gas chromatography of phenoxy acetic and propionic acids, 845
- Fluxes**
- pesticide, in water and soil, detn by two chamber chromatography, 291
- Fly ash**
- municipal refuse incinerator-, variation in elemental composition with time of sampling, 391
- PCDD and PCDF, synthesis and destruction in municipal solid waste incinerator, 715
- samples from MSW incinerator, PCDD synthesis to identify catalytic species, 831
- Food**
- carrot content of polynuclear aromatic hydrocarbons, 243
- Forest**
- mountain sites in Germany, airborne halocarbon levels, 609
- Fractionation**
- chloroorganic compds on carbon cartridge, 841
- of trace organic contaminants, assessed by evaluation of precipitation samplers, 343
- PCBs, on carbon cartridge, 841
- pesticide-, two chamber method for detn in water and soil, 291
- Fugacity**
- model, chemical uptake by plants from soil and air, 539
- model, graphical display, level 1, 633
- Fungi**
- in soil, degradation of butachlor, 99
- Furanones**
- 3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone, removal from water by oxidative, reductive, thermal or photochemical treatments, 761
- mutagen
- 3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone, reactivity with chlorine, 873
- Furans**
- PCDF, synthesis and destruction in municipal solid waste incinerator, 715

- PCDFs in British environment**, combustion of domestic coal and waste incineration as source, 255
- PCDFs, detn in selected paper products**, 737
- PCDFs, levels and sources from composted municipal waste**, 181
- PCDFs, potential source from cork products**, 133
- Furnaces**
fueled with cereal straw or wood chips, emission of PAH and mutagenic activity
- Gases**
propylene-nitrogen system, properties of unattached polonium-218, 25
- Halocarbons**
airborne, levels at urban and mountain forest sites in Germany and Atlantic coast, 609
- Hazard assessment**
chemical contaminants in soil 3
ecotoxic-, phenylureas, estimation with QSAR predictive model, 497
- Health hazard**
chemical contaminants in soil, risk assessment, 3
- Herbicides**
bentazon, leaching, distribution and metabolism, lysimeter experiments, 83
butachlor, degradation by two soil fungi, 99
maleic hydrazide interaction with soil clay surfaces, 473
phenylureas, ecotoxic hazard, estimation with QSAR predictive model, aquatic toxicity 497
s-triazine-, approaches for evaluation of Kow, 801
uptake by plants from air and soil, fugacity model, 539
- Humidity**
effect on diffusion coeff neutral unattached polonium-218, 25
- Hydrazide**
maleic, interaction with clay soil surfaces, 473
- Hydrocarbons**
airborne halocarbon levels at urban and mountain forest sites in Germany and at Atlantic coast, 609
aliphatic-, distn in plankton of Adriatic open waters, 925
chlorobenzenes in sewage sludge, analysis by capillary gas chromatography, 677
hexachlorocyclohexane isomers, markers in Atlantic ocean water flow, 889
high molecular chlorinated-, levels and long-term trends in mussels from Istrian coastal waters N. Adriatic, 747
mono- and di-substit benzenes, biodegradability predicted by artificial neural network, 305
naphthalene, radiation induced gas phase hydroxylation, 627
PAH, emission and mutagenic activity, combustion of cereal straw or wood chips in furnaces, 723
PCNs and DDE, fractionation on carbon cartridge, 841
polycyclic aromatic-, and alkyl derivs, n-octanol/water partition coeffs, models by molecular topology, 199
polynuclear aromatic-, content of carrots, 243
propylene-nitrogen gas system, properties of unattached polonium-218, 25
- Hydrogen peroxide**
catalytic treatment of OCDD in surface soil, 949
- Hydroquinone**
methylation products, soil and earthworms, sawmill environment, 263
- Hydroxylase**
aryl hydrocarbon, induction in *Oncorhynchus mykiss*, nonadditive interaction with 3,3',4,4'-tetra-chlorobiphenyl and 2,3,7,8-TCDD mixtures, 467
- Hydroxylation**
naphthalene, gas phase, radiation induced, 627
- Identification**
catalytic species, PCDD synthesis MSW incinerator flyash, 831
PCBs and partially oxidised PCB congeners, in human adipose tissue, 383
- Incinerators**
MSW-, fly ash, PCDD synthesis to identify catalytic species, 831
- municipal refuse ashes, variation in elemental composition with time of sampling, 391
municipal solid waste-, PCDD and PCDF, synthesis and destruction, 715
- Insecticide**
methomyl, short term toxicity in rats, 375
- Invertebrates**
benthic stream, sec production in agricultural watersheds with different land management, 57
- Isoprene**
plant emissions, climate changes, effect of CO₂ concentration, 37
- Kinetics**
photodegradation of 2,3,7,8-TCDD, theoretical maximum rate of soil decontamination, 589
- Land**
different management of watersheds, sec production of benthic stream invertebrates, 57
- Lysimeter**
experiments, bentazon distribution, leaching and metabolism, 83
- Leaching**
bentazon, lysimeter experiments, 83
- Lipids**
terrestrial higher mol wt compds in aerosol particulate matter over the S Atlantic from about 30-70°S, 447
- Malthion**
sorption by sediments, tropical estuary, 167
- Mechanisms**
binding of maleic hydrazide to mineral soil clay surfaces, 473
production and destruction of atmospheric OH and space time variations, 397
QSAR predictive, estimating ecotoxic hazard of phenylureas, aquatic toxicity, 497
- Metabolism**
bentazon, lysimeter experiments, 83

Metals

copper complexation, in rivers and estuaries, N. E. England, 695
mineral soil clay surfaces, binding of maleic hydrazide, 473
toxic, municipal refuse incinerator ashes, variation in composition with time of sampling, 391

Methylation

products of CPs, catechols and hydroquinones, soil and earthworms, sawmill environment, 263

Microcontaminants

organic, urban wastewater, partitioning among coastal compartments, 313

Microorganisms

biodegradation and structure of quaternary alkyl ammonium salts, relationship, 281
Fusarium solani and *F. oxysporum* two soil fungi, degradation of butachlor, 99

Milk

human, congener specific method for presence of PCBs, 119

Models

artificial neural network, biodegradability of organic chemicals predicted, 305
atrazine triazine transport, effect of micro soil structure, estimation, use of small columns, 107
fugacity-, chemical uptake by plants from soil and air, 539
fugacity-, graphical display, level 1, 633
isoprene emissions from vegetation, climatic changes, 37
n-octanol/water partition coeffs by molecular topology of polycyclic aromatic hydrocarbons and alkyl derivs, 199
photochemical-, OH distribution and concentration at different day times, seasons, altitudes, latitudes and climates, 397
system for determining volatility of pesticides from soil and plant surfaces, 485

Moisture

content of soil, effect on extractability of pentachlorophenol, 881

Mussels

levels, and long term trends of high molecular chlorinated hydrocarbons, N. Adriatic coastal waters, 747

Mutagenicity

and PAH emission from furnaces fueled with cereal straw or wood chips, 723
oil, Alaska spill, effect of bioremediation, 643

Mutagens

3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone, removal from water by oxidative, reductive, thermal or photochemical treatments, 761
3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone, reactivity with chlorine, 873

Naphthalenes

hydroxylation, radiation induced gas phase, 627

Neural network

artificial, prediction, biodegradation of organic chemicals, 305

Neutrallisation

rate constant, Po-218 ions, effect of humidity and radon concentration, 25

Nitro compounds

munition nitroaromatic compds, *in vitro* cytotoxicity, 363
nitroalkanes, photodegradation, detn by Fujiki- and GSF-tests 77

Nitrogen

and phosphorus excretion by carp, water quality in man-made lake, Melbourne, 671

Nuclear

and cytoplasmic damage, detection, Chinese hamster ovary cells, 777

Oils

mutagenicity, effect of bioremediation, Alaska spill, 643
waste mineral-, detn of polychlorinated biphenyls, review, 901

Organic matter and compounds

biodegradability under aerobic conditions, improved CO₂ production for testing, 507
biodegradability, prediction by artificial neural network, 305
chloro compds, fractionation on carbon cartridge, 841
environmental distribution, graphical display of fugacity model, level 1, 633
munition nitroaromatic compds, *in vitro* cytotoxicity, 363

Ovaries

Chinese hamster cells, test system, detection of nuclear and cytoplasmic damage, 777

Oxidation

treatment, removal of 3-chloro-4-(dichloro-methyl)-5-hydroxy-2(5H)-furanone, from water, 761

Paper

selected products, detn of PCDFs and PCDDs, 737

Partition coefficients

n-octanol/water-, models by molecular topology of polycyclic aromatic hydrocarbons and alkyl derivs, 199
n-octanol/water-, s-triazine herbicides, approaches for evaluation, 801

Partitioning

among coastal compartments, microcontaminants in wastewater from urban disposal site, 313

Pesticides

atrazine triazine transport, effect of micro soil structure, estimation, use of small columns, 107
in vitro cytotoxicity to goldfish scale cells, 525
malathion sorption from tropical estuary by sediments, 167
pesticide flux, two chamber method for detn in water and soil, 291
uptake by plants from air and soil, fugacity model, 539
volatility from soil and plant surfaces, model for detn, 485

Phenols

chlorophenols, levels and sources from composted municipal waste, 181

methylation products of chlorophenols, catechols and hydroquinones in soil and earthworms of sawmill environment, 263

Phosphorus

and nitrogen excretion by carp, water quality in man-made lake, Melbourne, 671

Photochemistry

oxidative treatment, removal of 3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone from water, 761

radiation induced gas phase hydroxylation of naphthalene, 627

Physical properties

physico-chemical props, chlorobenzene pollutants, 141

Plankton

plankton in Adriatic open waters, distn, concn and origin, 925

Plants

and soil surfaces, pesticide volatility, model for detn, 485
carrots, content of polynuclear aromatic hydrocarbons, 243
fugacity model for chemical uptake from soil and air, 539

Pollutants

atmospheric trace organic contaminant fluxes assessed by evaluation of precipitation samplers, 343
chemical contaminants in soil, risk assessment, 3
chlorobenzenes, physico-chemical properties, 141
microcontaminants in wastewater from urban disposal site, partitioning among coastal compartments, 313
municipal refuse incinerator ashes, variation in elemental composition with time of sampling, 391
munition nitroaromatic compds, *in vitro* cytotoxicity, 363
organochlorine-, in hydrosphere of Czechoslovakia, 269

Pollution

chlorobenzenes in sewage sludge, analysis by capillary gas chromatography, 677
sawmill environment, chlorinated phenols and metabolites in soil and earthworms, 263

Precipitation

samplers, evaluation atmospheric trace organic contaminant fluxes, oceanic and fresh water systems, 343

QSARs

predictive models estimating ecotoxic hazard of phenylureas, aquatic toxicity 497

Quality

water-, man-made lake, Melbourne, nitrogen and phosphorus excretion by carp, 671

Radiation

induced gas phase hydroxylation of naphthalene, 627

Radicals

OH concentrations and distribution, different day times, seasons, altitudes, latitudes and climatic conditions, 397

Radioactivity

unattached polonium-218 in the propylene-nitrogen gas system, properties, 25

Reduction

treatment by-, removal of 3-chloro-4-(dichloro-methyl)-5-hydroxy-2(5H)-furanone from water, 761

Sawmills

environment, methylation products of chlorophenols, catechols and hydroquinones in earthworms and soil, 263

Scale cells

goldfish cells, *in vitro* cytotoxicity of 45 pesticides, 525

Sediments

lakes and rivers of Czechoslovakia, PCB pollutants, 269
malathion sorption from tropical estuary, 167

Selenium and compounds

reaction with hexachlorobiphenyls, formation of chlorinated dibenzoselenophenes, 569

Sewage

sludge, analysis of chlorobenzenes by capillary gas chromatography, 677

Soil

2,3,7,8-TCDD decontamination, theoretical maximum rate by photodegradation kinetics, 589
and air, fugacity model for chemical uptake by plants, 539
and plant surfaces, pesticide volatility, model for detn, 485
chemical contaminants, risk assessment, 3
clay surfaces, interaction with maleic hydrazide, 473
contaminated-, two chamber method for detn of pesticide flux, 291
content of polynuclear aromatic hydrocarbons, 243
micro structure, effect on atrazine triazine transport, estimation, use of small columns, 107
sawmill environment, methylation products of chlorophenols, catechols and hydroquinones, 263
surface-, catalysed H₂O₂ treatment of OCDD, 949

Solubility

aqueous, and bioconcentration factor, evaluation and relationship, 231

Solvents

airborne halocarbon, levels at urban and mountain forest sites in Germany and at Atlantic coast, 609
nitroalkanes, photodegradation, detn by Fujiki- and GSF-tests 77

Sorption

malathion-, by sediments from tropical estuary, 167

Spectrometry

HRGC/HRMS, PCBs in serum and adipose tissue, congener specific analysis, 651

Spectroscopy

¹H NMR identification of PCBs and partially oxidised PCB congeners in human adipose tissue, 383

Straw

cerial, combustion in furnaces, emission and mutagenic activity of PAH, 723

Structure

quaternary alkyl ammonium salts and biodegradability relationship, 281

Techniques

artificial neural network, biodegradability of organic chemicals predicted, 305
evaluation of precipitation samplers for assessing atmospheric trace organic contaminant fluxes, 343
improved production for testing biodegradability under aerobic conditions, 507
PCDDs and PCDFs, detn in selected paper products, 737
test system for detection of nuclear and cytoplasmic damage in Chinese hamster ovary cells, 777

Terphenyls

halogenated, river transported, distribution in coastal environment, 327

Tests

Fujiki- and GSF-, detn photodegradation of nitroalkanes, 77

Thermal reactions

removal of
3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone from water, 761

Thiophenes

tetra- and
pentachlorodibenzothiophenes, formation in waste combustion, 583

Tissues and Tissue fluids

human adipose-, ¹H NMR identification of PCBs and partially oxidised PCB congeners, 383

human adipose-, presence of chlorinated diphenyl ethers, difference between males and females, 601

human milk, analysis for PCBs by congener specific method, 119
ovary cells, Chinese hamster, test system for detection of nuclear and cytoplasmic damage, 777
serum albumin, *in vitro* covalent modification by acrolein, 939
serum and adipose tissue, PCB congener specific analysis, 651

Topology

molecular-, polycyclic aromatic hydrocarbons and alkyl derivs, models for n-octanol/water part coeffs, 199

Toxicity

chlorobenzene pollutants, biological and toxicological properties, 141
in vitro cytotoxicity of 45 pesticides to goldfish scale cells, 525
in vitro cytotoxicity, munition nitroaromatic compds, 363
short term-, methomyl in rats, 375

Transport

atrazine triazine-, effect of micro soil structure, estimation, use of small columns, 107

Triazines

s-triazine herbicides, approaches for evaluation of Kow, 801

Troposphere

OH distribution and concentration, different day times, seasons altitudes, latitudes and climatic conditions, 387

Ureas

phenylureas, ecotoxic hazard, estimation with QSAR predictive model, aquatic toxicity 497

Vegetation

isoprene emissions, effect of CO₂ concentration, 37

Volatile compounds

volatility of pesticides from soil and plant surfaces, model for detn, 485

Wastes

incineration, source of PCDDs and PCDFs in British environment, 255
municipal incinerator ashes, variation in elemental composition with time of sampling, 391
municipal-, composted, levels and sources of PCDDs, PCDFs, CPs and CBzs, 181
solid-, PCDD and PCDF, synthesis and destruction in municipal incinerator, 715
waste combustion, formation of tetra- and pentachlorodibenzothiophenes, 583
wastewater urban disposal site, partitioning of microcontaminants among coastal compartments, 313

Water

contaminated-, two chamber method for detn of pesticide flux, 291
removal of
3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone by oxidative, reductive, thermal or photochemical treatments, 761

Wood

chips, combustion in furnaces emission and mutagenic activity of PAH, 723

DIOXIN SUBJECT INDEX VOL. 23, 1991

Adipose tissue
and whole blood and blood
plasma, partitioning of PCDDs
and PCDFs, 1913

Air

subsoil-, suction as remedy for
volatile chlorinated hydrocar-
bons, experiments and computer
simulations, 1337
tetrachloroethylene in-, federal re-
public, Germany, 1777

Animals

and man, PCDDs and PCDFs
toxocity, peculiarities, 1869
lactating cows, toxicokinetics
eight ¹³C-labelled
PCDDs, PCDFs, 1377
lactating rat, 2,3,7,8-TCDD effect
on maternal and neonatal vita-
min A status and hepatic en-
zyme induction, dose response
study, 1951
male rats, inductive potency,
TCDD, TBDD and three
2,3,7,8-mixed halogenated
dioxins, enzyme kinetic consid-
erations, 1925
marmoset monkeys and rats, sin-
gle subcutaneous admin TCDD
in liver microsomes, comparison
ethoxyresorufin O-deethylase
and cytochrome P450 induction,
1933
mice exposed to 2,3,7,8-TCDD,
dose dependent increase in tu-
mor necrosis factor- α , en-
dotoxin toxicity, 1817
rats, treated with 2,3,7,8-TCDD,
inhibition of phosphoenol-
pyruvate carboxykinase activity
is key to biochemical lesion,
1957

Analysis

2,3,7,8-PCDDs and PCDFs, fish
samples, hybrid mass/mass- and
high resolution mass-spectrome-
try, 104

carbon column GC, specific detn,
potentially toxic PCB congeners,
1139

chloropesticides and PCB in
water, 4 enrichment methods,
statistical evaluation, 1029
comparison, activated charcoal-
and multidimensional-GC, sepa-
ration and detn non-*ortho* Cl
substit toxic PCBs, 1055
congener-specific-, PCDF/PCDD
in residues/sediments, inter- and
intra-lab comparison of proto-
cols, 991

crustacean samples for alkylated
PCDDs and PCDFs, 1591
efficiency evaluation, pilot plant
for MSW combustion, PCDD,
PCDF emission, 1407
on-line system-, and multiple
sample extraction, chlorinated
comps, 1109

pattern recognition analysis of
VA/EPA PCDD and PCDF data,
971

PCB congeners, interpretation of
possibilities and problems, 1009
PCDD/PCDF-, paper industry, in-
tra- and inter-lab variability,
1569

PCDD/PCDF-, quality assurance,
concerns and difficulties, pulp
and paper industry, U.S., 1131

PXDD and PXDF and related
comps by database of calcu-
lated mass spectra, 981

snow samples, N.Sweden, envi-
ronmental deposition PCDDs,
PCDFs, 1359

Aquatic systems

PCB and chloropesticides in
water, 4 enrichment methods,
statistical evaluation, 1029
river, rain water, quality in vicin-
ity, bleached kraft mills, 1605

Arenes

structures of new planar aromatic
comps from pulp mill, synthe-
sis of model comps, 1581

Assays

in vivo/in vitro-, concentration de-
pendent carcinogenic and co-
carcinogenic activity of TCDD,
1855

Assessment

updated-, Canadians, exposure to
2,3,7,8-PCDF, 1661

Automobiles

road-, tunnel experiment, emis-
sion factors, PCDD and PCDF,
1699
traffic-, (Br,Cl)xDD/(Br,Cl)xDF,
patterns and levels in related
samples, 1151

Benzonitriles

2,6-dichlorobenzonitrile, tissue
specific toxicity and metabolic
activation, olfactory nasal
mucosa, 1803

Bioaccumulation

and biotransfer, PCDDs/PCDFs,
chickens, controlled exposure,
1731

Bioconcentration

factors, 2,3,7,8-TCDD in humans
using physiologically based
pharmacokinetic modelling,
1763

Biotransfer

and bioaccumulation, PCDDs/
PCDFs, chickens, controlled ex-
posure, 1731

Biphenyls

¹⁴C-labelled PCB methylsulfones,
synthesis, 1837
and chloropesticides in water, 4
enrichment methods, statistical
evaluation, 1029

clophen A, fractionation, *ortho*-substit, non *ortho* CB, mono-*ortho* CB, coplanar, 957
 fate ambient air Czechoslovakia, 389
 non-*ortho* Cl substit toxic-, separation and detn, comparison activated charcoal- and multidimensional-GC, 1055
 oil-PCB manager support system, risk mitigation electrical appliances, 1279
 PCB congeners, analysis and interpretation, possibilities and problems, 1009
 PCB levels in stack emissions, MSW incinerators, Czechoslovak, 1473
 PCB pollution, drinking water, Paris, 1637
 PCBs and related halogenated aromatic hydrocarbons, molecular mechanism of action, 1925
 PCBs assessing human health effects, 1811
 PCBs congeners and isomers, serum and adipose tissue, human exposure, 1685
 PCBs in human milk, women exposed to PCB fire and women from general public, Canada, 1831
 PCBs *ortho* substit, neurotoxicology, 985
 PCBs trend studies for human milk, 1895
 PCBs uptake by *Hordeum vulgare* and *Lycopersicon esculentum*, 1397
 potentially toxic congeners, specific detn, carbon column GC, 1139
 quick screening technique, thermal desorption gas GC, 1145

Bleach and bleaching

chlorine and non chlorine-, pulp mills formation of PCDFs, 1629
 paper pulp, volatile organohalogen compds, genotoxic potential in work environment, 1617

Blood

levels after 34 years exposure to 2,3,7,8-TCDD and 2,3,7,8-TBDD, 1921
 PCDDs, PCDFs and chlorinated organic compds, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
 whole blood, blood plasma and adipose tissue, partitioning of PCDDs and PCDFs, 1913

Brain

nonhuman primate-, and pheochromocytoma cells, dopamine content reduced by non planar *ortho* substit PCBs, 1941

Buildings

Binghampton office-, transformer incident, 10-year review, 1307

Carbamates

non-*ortho* Cl substit toxic PCBs, separation and detn, comparison activated charcoal- and multidimensional-GC, 1055

Carbon

carbon/flyash system, PCDD/PCDF formation, 1205
 fly ash-, PCDD/PCDF formation, effect of SO₂, HCl, Cl, metal ions in gas phase, 1255

Carcinogens

2,3,7,8-TCDD, risk assessment, paper consumer products, 1527
 C1-C3 chlorinated hydrocarbons, 1783
 infant dose, breast feeding mother exposed to PCDDs, 1387
 TCDD, concentration dependent carcinogenic and co-carcinogenic activity, in vivo/in vitro assay, 1855

Catalysts and Catalysis

destruction PCDDs/PCDFs, MSW solid waste flue gas, 1445

Chemometrics

efficiency evaluation, pilot plant for MSW combustion, PCDD, PCDF emission, 1407

Chlorine and compounds

1,2-dichlorobenzene, intermediates, flameless thermal decomposition, 1465
 2,6-dichlorobenzonitrile and 2,6-dichloro-thiobenzamide, tissue specific toxicity and metabolic activation, olfactory nasal mucosa, 1803
 C1-C3 chlorinated hydrocarbons, toxicology, 1783
 chlorinated hydrocarbons, volatile, suction subsoil air as remedy, experiments and computer simulations, 1337
 chlorinated hydrocarbons, low temp formation and minimization, 1515
 chlorinated organic compds in human milk and blood, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
 chlorine pulp bleaching, formation levels, PCDDs and PCDFs, effect of tap or distilled water, 1629

chlorine, metals and dioxin mass balance, hospital waste incineration, 1501
 chlorobenzenes in fly ash MWS incineration, dechlorination by screw conveyer, 1287
 tetrachloroethylene in federal republic, Germany, 1777
 trichlorophenol-producing plant, 2,3,7,8-TCDD in soil, 1769
 volatile organohalogen compds, paper pulp bleaching, genotoxic potential in work environment, 1617

Chromatography

activated charcoals and multidimensional-, comparison, separation and detn non-*ortho* Cl substit toxic PCBs, 1055
 carbon column-, specific detn, potentially toxic PCB congeners, 1139
 DB5 capillary column, separation of PCDDs and PCDFs, search for sensitivity, 1117
 fractionation of clophen A, *ortho*-substit, non *ortho* CB, mono-*ortho* CB, coplanar, 957
 HRGC/EC, PCB congeners and isomers, human exposure, 1685
 HRGC/MS-MS analysis, crustacean samples for alkylated PCDDs and PCDFs, 1591
 PCDF/PCDD in residues/sediments, congener-specific analysis, inter- and intra-lab comparison of protocols, 991
 thermal desorption gas-, quick screening technique, PCBs, 1145

Coffee

filters, migration of 2,3,7,8-TCDD/2,3,7,8-TCDF under different brewing, 1575

Combustion

pilot plant for MSW, chemometric efficiency evaluation, PCDD, PCDF emission, 1407
 pilot-, parameters, synthetic refuse, optimizing dioxin/furan emission, 1233

Composts

incineration or recycling, PCDD/PCDF balance, waste management, 1481

Concentration

2,3,7,8-TCDD-, in thymus and liver, perinatal exposed rats, 1845

Constants

PCDD and PCDF levels, investigation old manufacturing facility, 1001

Contamination

- Binghamton office building, transformer incident, 10-year review, 1307
- environmental cleanup objectives, standard procedure, 1323

Crustacea

- samples, mass spectrometry analysis for alkylated PCDDs and PCDFs, 1591

Cytochrome

- P450 and ethoxyresorufin O-deethylase, induction comparison by single subcutaneous admin TCDD in liver microsomes, marmoset monkeys and rats, 1933

Decontamination

- air suction volatile chlorinated hydrocarbons in subsoil, experiments and computer simulations, 1337
- closure of dioxin incineration facility, 1295

Degradation

- high temp-, polybrominated flame retardants, 1185, 1197

Dehalogenation

- dechlorination by screw conveyor, PCDDs/PCDFs in fly ash MWS incineration, 1287

Desorption

- thermal-, gas GC, quick screening technique for PCBs, 1145

Diesel

- halon mixtures, transhalogenation under extreme conditions, 1453

Dimethylsulfoxide

- based cleanup procedure, PCB detn in waste oil, 1077

Dioxins

- (Br,Cl)_xDD/(Br,Cl)_xDF, patterns and levels in automobile traffic related samples, 1151
- 2,3,7,8-TCDD and 2,3,7,8-TBDD, blood levels after 34 years exposure, 1921
- 2,3,7,8-TCDD and 2,3,7,8-TBDD, blood levels after 34 years exposure, 1921

- 2,3,7,8-TCDD and related halogenated aromatic hydrocarbons, molecular mechanism of action, 1925
- 2,3,7,8-TCDD exposed mice, dose dependent increase in tumor necrosis factor- α , endotoxin toxicity, 1871
- 2,3,7,8-TCDD exposure of Canadians, updated assessment, 1661
- 2,3,7,8-TCDDs, fish samples, hybrid mass/mass- and high resolution mass-spectrometry, 1043
- 2,3,7,8-TCDD from food contacting bleached paper, USFDA assessment, 1537
- 2,3,7,8-TCDD in lactating rat, effect on maternal and neonatal vitamin A status and hepatic enzyme induction, dose response study, 1951
- 2,3,7,8-TCDD in soil, trichlorophenol-producing plant, 1769
- 2,3,7,8-TCDD treated rats, inhibition of phosphoenolpyruvate carboxykinase activity is key to biochemical lesion, 1957
- 2,3,7,8-TCDD, bioconcentration factors and half-lives in humans using physiologically based pharmacokinetic modelling, 1763
- 2,3,7,8-TCDD, migration from paper food packaging and food contact products, 1575
- 2,3,7,8-TCDD, milk packaged paper, risk assessment, 1551
- 2,3,7,8-TCDD, risk assessment, paper consumer products, 1527
- airborne 2,3,7,8-TCDD vapor and particles from contaminated soil, inhalation hazard, 1719
- alkylated PCDDs, HRGC/MS-MS analysis, crustacean samples, 1591
- chlorinated aromatics in soil, role of entrainers in supercritical fluid extraction, 1085
- chlorinated-, pathways to formation, thermodynamic insights, 1221
- chlorine and metals, mass balance, hospital waste incineration, 1501
- fate ambient air Czechoslovakia, 1345
- incineration facility, closure and decontamination of site, 1295
- in cow's milk, vicinity MSW incinerator and metal reclamation plant, Netherlands, 1675
- MSW-, PCDD levels in stack emissions, Czecho-Slovak, 1473
- optimizing emission, use of synthetic refuse in pilot combustion, 1233
- PCDD analysis, quality assurance, concerns and difficulties, pulp and paper industry, U.S., 1131
- PCDD and PCDF levels, chlorine pulp bleaching, effect of tap or distilled water, 1629
- PCDD and PCDF levels, investigation old manufacturing facility, 1001

- PCDD and other pollutants, high temp gassification of different wastes, 1507
- PCDD and PCDFs, partitioning, whole blood, blood plasma and adipose tissue, 1913
- PCDD congener-specific analysis, residues/sediments, inter- and intra-lab comparison of protocols, 991
- PCDD destruction, MSW solid waste flue gas, 1445
- PCDD dietary accumulation in guppies, 1349
- PCDD distribution and migration from pre-coated paperboards, 1561
- PCDD distribution in vicinity, hazardous waste incineration at Schwabach, 1643
- PCDDs eight ¹³C-labelled, lactating cows, toxicokinetics, 1377
- PCDD emission factors, road vehicles, tunnel experiment, 1699
- PCDD emission MSWI plant, before and after design modernization, 1417
- PCDD emission, efficiency evaluation, pilot plant for MSW combustion, 1407
- PCDD emission, reduction by modern technology in waste incinerators, 1429
- PCDD emissions, fluidized bed incinerator, effect of operation and fuel type, 1491
- PCDD formation, carbon of fly ash, effect of SO₂, HCl, Cl₂, metal ions in gas phase, 1255
- PCDD formation, fly ash surface, effect of time and temp, 1205
- PCDD in fly ash MWS incineration, dechlorination by screw conveyor, 1287
- PCDD in human milk and blood, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
- PCDDs in human milk, women exposed to PCB fire and women from general public, Canada, 1831
- PCDD in mother's milk due to ingestion of contaminated fish, infant exposure, 1387
- PCDD kinetics simulation formation and destruction, fly ash from MSW incinerators, 1245
- PCDD pattern recognition analysis of VA/EPA data, 971
- PCDD removal efficiency from flue gas of MSW incinerator, fabric filter or electrostatic precipitator, 1439
- PCDD sewage sludges, potential source, 1653
- PCDD snow samples, N.Sweden, environmental deposition, 1359
- PCDD toxicity in animals and man, peculiarities, 1869
- PCDD trend studies for human milk, 1895
- PCDD volatilization, environmental impact, 1669

- PCDD/PCDF analysis, paper industry, intra- and inter-lab variability, 1569
- PCDD/PCDF in incorrosive off-gas, reduction in Mg production, pilot plant with wet electrostatic precipitator, 1097
- PCDD/PCDF in pulp mill products, effluents, sediments and mussels, 1581
- PCDD/PCDF, status of testing and reporting under the toxic substances control act, 1125
- PXDD and related compds, analysis by database of calculated mass spectra, 981
- TCDD in Comumbia river fish, risk assessment, 1709
- TCDD, concentration dependent carcinogenic and co-carcinogenic activity, in vivo/in vitro assay, 1855
- TCDD, single subcutaneous admin liver microsomes, marmaset monkeys and rats, comparison ethoxyresorufin O-deethylase and cytochrome P450 induction, 1933
- TCDD, TBDD and three 2,3,7,8-mixed halogenated dioxins, inductive potency, male rats, enzyme kinetic considerations, 1925
- trichinella spiralis infection, resistance in 2,3,7,8-TCDD, perinatal exposed rats, 1845
- Distribution**
and migration, PCDDs, PCDFs from pre-coated paperboards, 1561
- Dopamine**
content nonhuman primate brain and pheochromocytoma cells, reduced by non planar ortho substit PCBs, 1941
- Electrical appliances**
risk mitigation, oil-PCB manager support system, 1279
- Electrodes**
graphite-, use in chloralkali process, high PCDF levels, 1629
or fabric filter, removal efficiency PCDDs/PCDFs from flue gas of MSW incinerator, 1439
- Emissions**
factors, PCDD and PCDF, road vehicles, tunnel experiment, 1699
- Environment**
cleanup objectives, standard procedure, 1323
- criteria for evaluation of PCDDs/PCDFs in plant food via soil contamination, 1743
- deposition PCDDs, PCDFs, analysis snow samples, N.Sweden, 1359
- environmental impact, PCDD and PCDF volatilization, 1669
- fate of PCBs, PCDDs, PCDFs, ambient air Czechoslovakia, 1345
- PCDFs/PCDDs, distribution in vicinity, hazardous waste incineration at Schwabach, 1643
- photolytic transformations, solution and solid phases, PCDDs, PCDFs in fly ash, 1365
- Ethers**
diphenyl-, chlorinated and brominated in human adipose tissue, mass confirmation, 1185
- PBDPOs, in flame retardant fabric, effect on dioxin/furans formation during pyrolysis, 1173
- polybrominated diphenylether flame retardants, gas-phase pyrolytic and oxidative decomposition, 1197
- Ethylene**
fly ash mediated oxychlorination and oxidation, 1213
- Ethoxyresorufin**
O-deethylase and cytochrome P450, induction comparison by single subcutaneous admin TCDD in liver microsomes, marmaset monkeys and rats, 1933
- O-deethylase induction and vitamin A status, maternal and neonatal lactating rat, 2,3,7,8-TCDD effect, dose response study, 1951
- O-deethylase, kinetic considerations, male rats, inductive potency, TCDD, TBDD and three 2,3,7,8-mixed halogenated dioxins, 1925
- Exhausts**
automobile-, dioxin/furan emissions from halogen ethane additives to leaded fuels, 1151
- Exposure**
34 years-, 2,3,7,8-TCDD and 2,3,7,8-TBDD blood levels, 1921
- controlled-, biotransfer and bioaccumulation PCDDs/PCDFs, chickens, 1731
- human exposure, PCBs congeners and isomers in serum and adipose tissue, 1685
- Extraction**
DMSO-based cleanup-, detn PCBs in waste oil, 1077
- multiple sample-, and on-line system analysis of chlorinated compds, 1109
- PCB and chloropesticides in water, four enrichment methods, statistical evaluation, 1029
- supercritical fluid-, chlorinated aromatics from soils, role of entrainers, 1085
- Fires**
extinguishing, transhalogenation halon diesel mixtures under extreme conditions, 1453
- PBC-, exposed women, PCDDs, PCDFs and PCBs in breast milk, 1831
- Fish**
Comumbia river-, risk assessment for TCDD, 1709
- contaminated-, ingestion, PCDD in mother's milk, infant exposure, 1387
- guppies, dietary accumulation PCDDs and PCDFs, 1349
- juvenile-, in rivers with discharged bleached kraft mill effluents, analysis for organic contaminants, 1605
- sample analysis for PCDDs and PCDFs by hybrid mass/mass- and high resolution mass-spectrometry, 1043
- Flame retardants**
PBDPO polymer blends, effect on PBDDs and PBDFs formation, 1173
- polybrominated-, polyhalogenated diphenyl ethers in human adipose tissue, 1185
- polybrominated-, pyrolysis, formation halogenated benzenes, phenols, dioxins and furans, 1197
- Fly ash**
carbon, formation PCDD/PCDF, effect of SO₂, HCl, Cl₂, metal ions in gas phase, 1255
- from MSW incinerators, kinetics simulation formation and destruction PCDD/PCDF, 1245
- mediated oxychlorination and oxidation, 2213
- MWS incineration, dechlorination PCDDs/PCDFs by screw conveyor, 1287
- PCDDs in fly ash, photolytic transformations, solution and solid phases, 1365
- surface, effect of time and temp on PCDD/PCDF formation, 1205

Food

- contacting bleached paper, USFDA assessment 2,3,7,8-TCDF and 2,3,7,8-TCDD, 1537
- fatty and non-fatty-, migration from paper food packaging and food contact products, 1575
- PCDD and PCDF contaminated, accumulation in guppies, 1349
- plant-, criteria for PCDDs/PCDFs evaluation, 1743
- refusal, TCDD-treated rats leading to death due to increased serotonergic activity, 1957
- tetrachloroethylene in-, federal republic, Germany, 1377

Fuel

- automobile, leaded-, dioxin/furan emissions from halogenated ethane additives, 1151
- type, and operation fluidized bed incinerator, effect on PCDD/PCDF emissions, 1491

Furans

- (Br,Cl)xDD/(Br,Cl)xDF, patterns and levels in automobile traffic related samples, 1151
- 2,3,7,8-PCDF, exposure of Canadians, updated assessment, 705
- 2,3,7,8-PCDFs, fish samples, hybrid mass/mass- and high resolution mass-spectrometry, 1043
- 2,3,7,8-TCDF and related halogenated aromatic hydrocarbons, molecular mechanism of action, 1125
- 2,3,7,8-TCDF from food contacting bleached paper, USFDA assessment, 1537
- 2,3,7,8-TCDF, migration from paper food packaging and food contact products, 1575
- 2,3,7,8-TCDF, milk packaged paper, risk assessment, 1551
- alkylated PCDFs, HRGC/MS-MS analysis, crustacean samples, 1591
- chlorinated-, pathways to formation, thermodynamic insights, 1221
- fate ambient air Czechoslovakia, 1345
- high levels from use of graphite electrodes in chloralkali process, 1629
- MSW-, PCDF levels in stack emissions, Czech-Slovak, 1473
- PCDF analysis, quality assurance, concerns and difficulties, pulp and paper industry, U.S., 1131
- PCDF and PCDD levels, investigation old manufacturing facility, 1001
- PCDF congener-specific analysis, residues/sediments, inter- and intra-lab comparison of protocols, 991
- PCDF destruction, MSW solid waste flue gas, 1445

- PCDF dietary accumulation in guppies, 1349
- PCDF distribution and migration from pre-coated paperboards, 1561
- PCDF distribution in vicinity, hazardous waste incineration at Schwabach, 1643
- PCDF eight ¹³C-labelled, lactating cows, toxicokinetics, 1377
- PCDF emission factors, road vehicles, tunnel experiment, 1699
- PCDF emission MSWI plant, before and after design modernization, 1417
- PCDF emission, efficiency evaluation, pilot plant for MSW combustion, 1407
- PCDF emission, reduction by modern technology in waste incinerators, 1429
- PCDF emissions, fluidized bed incinerator, effect of operation and fuel type, 1491
- PCDF formation, carbon of fly ash, effect of SO₂, HCl, Cl, metal ions in gas phase, 1255
- PCDF formation, fly ash surface, effect of time and temp, 1205
- PCDF in fly ash MWS incineration, dechlorination by screw conveyor, 1287
- PCDF in fly ash, photolytic transformations, solution and solid phases, 1365
- PCDF in human milk and blood, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
- PCDF in human milk, women exposed to PCB fire and women from general public, Canada, 1831
- PCDF, kinetics simulation formation and destruction, fly ash from MSW incinerators, 1245
- PCDF, pattern recognition analysis of VA/EPA data, 971
- PCDF removal efficiency from flue gas of MSW incinerator, fabric filter or electrostatic precipitator, 1439
- PCDF sewage sludges, potential source, 1653
- PCDF snow samples, N.Sweden, environmental deposition, 1359
- PCDF toxicity in animals and man, peculiarities, 1869
- PCDF trend studies for human milk, 1895
- PCDF volatilization, environmental impact, 1669
- PCDF/PCDD in corrosive off-gas, reduction in Mg production, pilot plant with wet electrostatic precipitator, 1097
- PCDF/PCDD in pulp mill products, effluents, sediments and mussels, 1581
- PCDF/PCDD, status of testing and reporting under the toxic substances control act, 1125
- PCDF and other pollutants, high temp gasification of different wastes, 1507

- PCDF and PCDDs, DB5 capillary column, search for sensitivity, 1117
- PCDF and PCDDs, partitioning, whole blood, blood plasma and adipose tissue, 9913
- PXDF and related compounds, analysis by database of calculated mass spectra, 981

Filters

- fabric-, or electrostatic precipitator, removal efficiency PCDDs/PCDFs from flue gas of MSW incinerator, 1439

Genotoxicity

- potential in work environment, volatile organohalogen compounds from paper pulp bleaching, 1617

Half-lives

- 2,3,7,8-TCDD in humans using physiologically based pharmacokinetic modelling, 1763

Halon

- CF₂ClBr and CF₃Br, transhalogenation under extreme conditions, 1453

Health hazards

- 2,3,7,8-TCDD assessing human health effects, 1811

Hydrocarbons

- C1-C3 chlorinated hydrocarbons, toxicology, 1783
- volatile, chlorinated-, suction subsoil air as remedy, experiments and computer simulations, 1337

Incinerators

- efficiency evaluation, pilot plant PCDF/PCDD emission, 1407
- fluidized bed-, PCDD/PCDF emissions, effect of operation and fuel type, 1491
- hazardous waste, Schwabach, distribution of PCDFs/PCDDs in vicinity, 1643
- hospital waste-, chlorine, metals and dioxin mass balance, 1501
- incineration, recycling or composting, PCDD/PCDF balance, waste management, 1481
- modern technology, reduction PCDD/PCDF emission, 1429
- MSW plant, PCDD/PCDF emission before and after design modernization, 1417
- MSW-, PCDD/PCDF/PCB levels in stack emissions, 1473
- MSW-, solid waste flue gas, destruction PCDDs/PCDFs, 1445

MSW—,removal efficiency of PCDDs/PCDFs from flue gas, fabric filter or electrostatic precipitator, 1439
MSW—,vicinity, dioxin in cow's milk, Netherlands, 1675

Industry

located Comumbia river, assessment TCDD in fish, 1709
paper—, PCDD/PCDF analysis, intra- and inter-lab variability, 1569

Inhalation

carboxykinase activity, is key to biochemical lesion in TCDD-treated rats, 1957
hazard, airborne 2,3,7,8-TCDD vapor and particles from contaminated soil, 1719

Isotopes

PXDD and PXDF and related compds by database of calculated mass spectra, 981

Isotopic labelling

¹⁴C-labelled PCB methylsulfones, synthesis, 1837
toxicokinetics eight ¹³C-labelled PCDDs,PCDFs, lactating cows, 1377

Kinetics

simulation formation and destruction PCDD/PCDF, fly ash from MSW incinerators, 1245

Landfills

graphite electrode sludge from chloralkali process, 1629

Liver

liver microsomes, marmaset monkeys and rats, single subcutaneous admin TCDD, comparison ethoxyresorufin O-deethylase and cytochrome P450 induction, 1933

Mass spectra

confirmation, chlorinated and brominated diphenyl ethers in human adipose tissue, 1185
HRGC/HRMS, PCB congeners and isomers, human exposure, 1685
HRGC/MS-MS analysis, crustacean samples for alkylated PCDDs and PCDFs, 1591

Mechnisms

action—, molecular, 2,3,7,8-TCDD and related halogenated aromatic hydrocarbons, 1825

Metabolism

tissue specific—, and metabolic activation, 2,6-dichlorobenzonitrile and 2,6-dichlorothiobenzamide in olfactory nasal mucosa, 1903

Metals

chlorine and dioxin mass balance, hospital waste incineration, 545
metal reclamation plant vicinity, dioxin in cow's milk, Netherlands, 1675
Mg production, reduction PCDD/PCDF in corrosive off-gas, pilot plant with wet electrostatic precipitator, 1097

Migration

2,3,7,8-TCDD/2,3,7,8-TCDF from paper food packaging and food contact products, 1575
and distribution, PCDDs, PCDFs from pre-coated paperboards, 1561

Milk

cow's—, dioxin occurrence, vicinity MSW incinerator and metal reclamation plant, Netherlands, 1675

human—, PCDDs, PCDFs and PBCs in women exposed to PCB fire and women from general public, Canada, 1831
human—, PCDDs, PCDFs and chlorinated organic compds, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
human—, trend studies for PCDDs,PCDFs and PCBs, 1895
lactating cows, toxicokinetics eight ¹³C-labelled PCDDs,PCDFs, 1377
mother's—, PCDD due to ingestion of contaminated fish, infant exposure, 1387
packaged in paper, risk assessment, 2,3,7,8-TCDD, 2,3,7,8-TCDF, 1551

Models

dioxin contaminated soil, inhalation hazard, airborne 2,3,7,8-TCDD vapor and particles, 1629
mathematical—, infant dose, breast feeding mother exposed to PCDDs, 1387
model compds, synthesis, structures of new planar aromatic compds from pulp mill, 1581

pharmacokinetic modelling, physiologically based, 2,3,7,8-TCDD, bioconcentration factors and half-lives in humans, 1763

Monoxygenases

hepatic—, induced in 2,3,7,8-TCDD perinatal exposed rats, 1845

Mutagenicity

C1-C3 chlorinated hydrocarbons, 1783

Neurotoxicology

non planar ortho substit PCBs, 1941

Oils

waste—, PCB detn, DMSO-based cleanup procedure, 1077

Organisms

Hordeum vulgare, PCBs uptake, 1397
Lycopersicon esculentum, PCBs uptake, 1397
trichinella spiralis infection, resistance in 2,3,7,8-TCDD, perinatal exposed rats, 1845

Oxidation

and oxychlorination mediated by ash, 1213

Oxychlorination

and oxidation, mediated by fly ash, 1213

Paper

and pulp industry, U.S., PCDD/PCDF analysis, quality assurance, concerns and difficulties, 1131
bleached kraft mills vicinity, quality of rain river water, 1605
bleached—, food contacting, USFDA assessment 2,3,7,8-TCDFand 2,3,7,8-TCDD, 581
consumer products, 2,3,7,8-TCDD risk assessment, 1527
industry, PCDD/PCDF analysis, intra- and inter-lab variability, 1569
milk packaged—, risk assessment, 2,3,7,8-TCDD, 2,3,7,8-TCDF, 1551
paper pulp bleaching, volatile organohalogen compds, genotoxic potential in work environment, 1617
pre-coated boards, PCDDs, PCDFs distribution and migration, 1561

Partitioning

PCDDs and PCDFs, whole blood, blood plasma and adipose tissue, 1913

Pesticides

chloro-, and PCB in water, 4 enrichment methods, statistical evaluation, 1029

Phenols

trichlorophenol-producing plant, 2,3,7,8-TCDD in soil, 1769

Pheochromocytoma cells

and nonhuman primate brain, dopamine content reduced by non planar ortho substit PCBs, 1941

Phosphoenolpyruvate

carboxykinase activity, inhibition is key to biochemical lesion in TCDD-treated rats, 1957

Photochemistry

transformations, solution and solid phases, PCDDs, PCDFs in fly ash, 1365

Pilot plant

high temp gasification different wastes, formation of PCDDs/PCDFs and other pollutants, 1507

MSW incinerator, removal efficiency PCDDs/PCDFs from fluegas, fabric filter or electrostatic precipitator, 1439

PCDF, PCDD emission, efficiency evaluation, 1407

Plankton

with wet electrostatic precipitator, reduction PCDD/PCDF in corrosive off-gas, Mg production, 1097

Plants

PCBs uptake by *Hordeum vulgare* and *Lycopersicon esculentum*, 1397

Pollutants

organic-, in juvenile fish, rivers with discharged bleached kraft mill effluents, 1605

sources, routes of exposure, environmental cleanup objectives, 1323

Pulp

and paper industry, U.S., PCDD/PCDF analysis, quality assurance, concerns and difficulties, 1131

mill, structures of new planar aromatic compds, synthesis of model compds, 1581

Quality

assurance, concerns and difficulties, PCDD/PCDF analyses, pulp and paper industry, U.S., 1131
QA/QC, PCDD and PCDF levels, investigation old manufacturing facility, 1001

QA/QC, PCDF/PCDD in residues/sediments, congener-specific analysis, inter- and intra-lab comparison of protocols, 991
rain river water, vicinity, bleached kraft mills, 1605

Recycling

incineration or composting, PCDD/PCDF balance, waste management, 1481

Risk assessment

2,3,7,8-TCDD, 2,3,7,8-TCDF, milk packaged in paper, 1551

2,3,7,8-TCDD, paper consumer products, 1527

and management system for electrical containers, 1279

fish and fishermen, TCDD, industry located Comumbia river, 1709

TCDD in Comumbia river fish, assessment, 1709

USFDA-, 2,3,7,8-TCDD and 2,3,7,8-TCDF from food contacting bleached paper, 1537

volatile organohalogen compds, paper pulp bleaching, genotoxic potential in work environment, 1617

Sediments

PCDF/PCDD congener-specific analysis, inter- and intra-lab comparison of protocols, 991

Separation

non-ortho Cl substit toxic PCBs, comparison activated charcoal- and multidimensional-GC, 1055
PCDDs and PCDFs, DB5 capillary column, search for sensitivity, 1117

Serotonergic activity

increased in TCDD-treated rats leading to death by food refusal, 1957

Sewage

sludges, potential source PCDDs and PCDFs, 1653

Soil

2,3,7,8-TCDD in-, trichlorophenol-producing plant, 1769

biotranfer and bioaccumulation, PCDDs/PCDFs, chickens, controlled exposure, 1731

chlorinated aromatics in-, role of entrainers in supercritical fluid extraction, 1085

dioxin contaminated-, models, inhalation airborne 2,3,7,8-TCDD vapor and particles, 1719

PCDDs/PCDFs contaminated, criteria for evaluation of plant food, 1743

subsoil air, suction as remedy for volatile chlorinated hydrocarbons, experiments and computer simulations, 1337

Spectroscopy

calculated mass spectra, database, analysis of PXDD and PXDF and related compds, 981

PCDF/PCDD in residues/sediments, congener-specific analysis, inter- and intra-lab comparison of protocols, 991

Substituent effects

effect of position and number of Cl atoms in commercial PCB product, 957

Sulfones

¹⁴C-labelled PCB methylsulfones, synthesis, 1837

Techniques

component analysis, applied to 2,3,7,8-chlorine substit PCDDs and PCDFs in cow' milk, 1675

dechlorination by screw conveyer, PCDDs/PCDFs in fly ash MWS incineration, 1287

detn 2,3,7,8-TCDD in soil of trichlorophenol-producing plant, 1769

DMSO-based cleanup-, detn PCBs in waste oil, 1077

experimental reactor, pilot combustion synthetic refuse, optimizing dioxin/furan emission, 1233

four enrichment methods, statistical evaluation, PCB and chloropesticides in water, 1029

least squares error analysis, PCB congeners, interpretation, possibilities and problems, 1009

on-line system analysis and multiple sample extraction, chlorinated compds, 1109

pattern recognition analysis of VA/EPA PCDD and PCDF data, 971

quick screening-, thermal desorption gas GC for PCBs, 1145

supercritical fluid extraction, chlorinated aromatics from soils, role of entrainers, 1085

thermal degradation flame retardant fabric, role of PBDPOs in formation of dioxins and furans, 1173

Tests

pilot plant with wet electrostatic precipitator, reduction PCDD/PCDF in corrosive off-gas, Mg production, 1097

testing and reporting PCDF/PCDD, status under toxic substances control act, 1125

Thermal reactions

effect of temp on fly ash mediated oxychlorination and oxidation, 1213

flameless-, intermediates, 1,2-dichlorobenzene decomposition, 1465

high temp gassification, different wastes, formation of PCDDs/PCDFs and other pollutants, 1507

low temp formation and minimization, chlorinated hydrocarbons, 1515

time and temp, effect on PCDD/PCDF formation on fly ash surface, 1205

Thermodynamics

insights, on pathways to formation chlorinated dioxins and furans, 1221

Thiobenzamides

2,6-dichlorothiobenzamide, tissue specific toxicity and metabolic activation, olfactory nasal mucosa, 1803

Tissues and Tissue fluids

adipose human-, pattern recognition analysis of VA/EPA PCDD and PCDF data, 971

blood levels after 34 years exposure to 2,3,7,8-TCDD and 2,3,7,8-TBDD, 1921

human adipose-, mass spectral confirmation, chlorinated and brominated diphenyl ethers, 1185

human- tetrachloroethylene, federal republic, Germany, 1777
liver microsomes, marmoset monkeys and rats, single subcutaneous admin TCDD, comparison ethoxyresorufin O-deethylase and cytochrome P450 induction, 1933

olfactory nasal mucosa, tissue specific toxicity and metabolic activation of 2,6-dichlorobenzonitrile and

2,6-dichlorothiobenzamide, 1803

serum and adipose-, PCBs congeners and isomers, human exposure, 1685

thymus and liver, 2,3,7,8-TCDD perinatal exposed rats, 1845

whole blood, blood plasma and adipose tissue, partitioning of PCDDs and PCDFs, 1913

Toxicity

C1-C3 chlorinated hydrocarbons, toxicology, 1783

PCDDs and PCDFs in animals and man, peculiarities, 1869

potentially toxic PCB congeners, specific detn, carbon column GC, 1139

tissue specific-, and metabolic activation, 2,6-dichlorobenzonitrile and

2,6-dichlorothiobenzamide in olfactory nasal mucosa, 1903

toxic substances control act, status of testing and reporting of PCDD/PCDF, 1125

Toxicokinetics

eight ¹³C-labelled PCDDs, PCDFs in lactating cows, 1377

Transformers

incident, Binghamton office building, 10-year review, 1307

Transhalogenation

halon diesel mixtures under extreme conditions, 1453

Traffic

2-way direction, vehicles in separated tunnels, inlet and outlet emission factors, PCDD and PCDF, 1699

automobile-, (Br,Cl)xDD/(Br,Cl)xDF, pattern and levels in related samples, 1151

Tumors

necrosis factor-alpha and TCDD pathologies, similar in mice, 1817

Vehicles

heavy and light duty diesel-, different PCDD and PCDF emission factors, 1699

Vitamins

vitamin A status and hepatic enzyme induction, maternal and neonatal lactating rat, 2,3,7,8-TCDD effect, dose response study, 1951

Volatile compounds

organohalogen compds, paper pulp bleaching, genotoxic potential in work environment, 1617

volatilization, environmental impact, PCDDs and PCDFs, 1669

Wastes

different-, high temp gassification, formation of PCDDs/PCDFs and other pollutants, 1507

dioxin contaminated-, closure and decontamination of incineration facility, 1295

hazardous-, incineration at Schwabach, distribution of PCDFs/PCDDs in vicinity, 1643

hospital-, incineration, chlorine, metals and dioxin mass balance, 1501

management, incineration, recycling, composting, PCDD/PCDF balance, 1481

MSW solid-, flue gas, destruction PCDDs/PCDFs, 1445

synthetic refuse, use of pilot combustion for optimizing dioxin/furan emission, 1233

waste oil, PCB detn, DMSO-based cleanup procedure, 1077

Water

drinking-, Paris, PCB pollution, 1637

PCB and chloropesticides, 4 enrichment methods, statistical evaluation, 1029

quality of rain river-, vicinity, bleached kraft mills, 1605